



Flow Imports
24A Morrin Rd
Mt Wellington
Auckland

P 0800 426 747
E info@flowimports.co.nz
www.flowimports.co.nz

PRODUCT TECHNICAL STATEMENT

Incorporating BPIR requirements as per
Building Product Information Regulations 2022

Geberit basins, cisterns, and pans

Geberit basins, cisterns, and pans products are for use in ablution as per the NZ Building Code requirements.

This PTS covers all Geberit basins, cisterns, and pan products supplied by Flow Imports in New Zealand.

The globally operating Geberit Group is a European leader in the field of sanitary products. We operate with a strong local presence in most European countries, providing unique added value when it comes to sanitary technology and bathroom ceramics.

The production network encompasses 26 production facilities, of which 4 are located overseas. The Group is headquartered in Rapperswil-Jona, Switzerland. With around 12,000 employees in approximately 50 countries, Geberit generated net sales of CHF 3.4 billion in 2022. The Geberit shares are listed on the SIX Swiss Exchange and have been included in the SMI (Swiss Market Index) since 2012.

Revision control

Revision number	Revision information	Date
Dr 1	Draft PTS	5 September 2023
V1	Final document for publication	11 September 2023

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Contents

Geberit basins, cisterns, and pans	1
Revision control	1
Purpose and use	3
Product description	3
Search process for relevant information on product	3
Key advantages	3
Installation	3
Geberit basins, cisterns, and pans product QA processes	4
Contribution to Compliance	5
Design, construction and installation instructions	7
Installation Instructions	7
Limitations of use	7
Maintenance requirements	7
Quality assurance	7
Product support	8
Manufacturer	8
Warnings and Bans	8
Appendix 1 – ISO certificate - Switzerland	9
Appendix 2 – ISO certificate - China	15
Appendix 3 – Testing declaration 1	17
Appendix 4 – Testing declaration 2	19
Appendix 5 – Warranty	21
Appendix 6 – WaterMark certificate example 1	24
Appendix 7 – WaterMark certificate example 2	26
Appendix 8 – Installation, Maintenance Instruction example	28
Appendix 9 – Technical information example	31

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Purpose and use

Basins, cisterns, and pans are suitable for use as ablution facilities and installed and used in according to the requirements of the NZ Building Code.

Product description

Geberit basins, cisterns, and pans products comply with the NZBC as mentioned below in the BPIR section.

Search process for relevant information on product

Website: [Geberit | Flow Plumbing Imports \(flowimports.co.nz\)](https://www.geberit.com.au)

Product data available are, for example:

Product data that are available, for example, are:

- Product code
- Picture of the product
- Detail drawing with dimensions (including for download)

Further technical information can be found at: [Elements for WCs \(geberit.com.au\)](https://www.geberit.com.au)

This includes information such as

- Product data sheet
- General Product data (XLSX, product data sheet, figures)
 - Environmental product declaration)
 - Product description and application purpose
 - Life cycle assessment
 - Maintenance manual
 - Installation Manual
- BIM content
- A variety of CAD data

Key advantages

Each Geberit product specification, features and benefits are available on the website as shown above.

Installation

Installation of Geberit basins, cisterns, and pans are to be done by qualified plumbers.

Installation guidelines are supplied with all Geberit products and can be found in:

[Elements for WCs \(geberit.com.au\)](https://www.geberit.com.au)

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Geberit basins, cisterns, and pans product QA processes

Geberit basins, cisterns, and pans products undertake testing and inspections of all products as part of the QA requirements.

Geberit is an ISO 9001 registered manufacturing facility by SQS for the Swiss factory and SGS for the factory in China. Please refer to Appendix 1 and 2.

Inspection is carried out at various stages of manufacturing, as requirement by the certified Quality Management Systems.

Refer Appendix 3 and 4 for various declarations in performance testing taking place.

A large variety of products are also WaterMarked certified.

These are:

WM 00231 for products certified to:

AS/NZS 4401 - Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings - Polyethylene (PE)

AS/NZS 5065 - Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

WM 00637 for products certified to:

AS 1172.2 – Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves
(Certificate as example can be found in Appendix 5)

WM 04000 for products certified to:

AS 1172.2– Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves
(Certificate as example can be found in Appendix 6)

WM 20012 for products certified to:

AS 1172.2– Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves

WM 40004 for products certified to:

AS/NZS 4401 - Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings - Polyethylene (PE)

WM 40011 for products certified to:

AS/NZS 5065 - Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

WM 40057 for products certified to:

AS 1172.2– Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves

WM 04123 for products certified to:

AS/NZS 3718 – Water supply - Tapware

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Contribution to Compliance

Geberit basins, cisterns, and pans products copper Kitchen and bathroom products are in full compliance with the requirements as set out in the New Zealand Building Code, as follows:

Building code	Requirement	Compliance evidence
B2 (Durability) B2.3.1 (c) applies	<p>(B2.3.1 Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:</p> <p>(a) The life of the building, being not less than 50 years, if:</p> <p>(i) Those building elements (including floors, walls, and fixings) provide structural stability to the building, or</p> <p>(ii) Those building elements are difficult to access or replace, or</p> <p>(iii) Failure of those building elements to comply with the building code would go undetected during both normal use and maintenance of the building.</p> <p>(b) 15 years if:</p> <p>(i) Those building elements (including the building envelope, exposed plumbing in the subfloor space, and in-built chimneys and flues) are moderately difficult to access or replace, or</p> <p>(ii) Failure of those building elements to comply with the building code would go undetected during normal use of the building but would be easily detected during normal maintenance.</p> <p>(c) 5 years if:</p> <p>(i) The building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and</p> <p>(ii) Failure of those building elements to comply with the building code would be easily detected during normal use of the building.</p>	<p>5 years: As part of a plumbing system for flushing of waste materials.</p> <p>These products can be used in residential and/or commercial buildings where waste</p>

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

		<p>products are to be removed safely and hygienically.</p> <p>Not suitable for use in areas which are being permanently concealed such as behind concrete.</p> <p>No maintenance required apart from during normal course of use.</p> <p>Proof of durability – Service history Geberit products have been manufactured and supplied worldwide since 1957.</p> <p>Warranty calls are at a minimum and within the quality principles of Geberit. All Warranty claims are investigated, and corrective/preventive actions are implemented. Refer Appendix 5.</p>
<p>G1 (Personal hygiene)</p> <p>G1.3.2</p>	<p>Performance G1.3.2 Sanitary fixtures shall be located, constructed and installed to:</p> <ul style="list-style-type: none"> (a) facilitate sanitation, (b) avoid risk of food contamination, (c) avoid harbouring dirt or germs, (d) provide appropriate privacy, (e) avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance, (f) allow effective cleaning, (g) discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and (h) provide a healthy safe disposal system when non-water-borne disposal is used 	<p>Geberit products comply with the requirements of AS 1172.2 – Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves</p> <p>(WaterMark Certificate as example can be found in Appendix 6 and 7)</p>

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

G13 (Foul water)		
G 13.3.1	<p>G13.3.1</p> <p>The plumbing system shall be constructed to:</p> <ul style="list-style-type: none"> a) convey foul water from buildings to a drainage system, b) avoid the likelihood of blockage and leakage, c) avoid the likelihood of foul air and gases entering buildings, and d) provide reasonable access for maintenance and clearing blockages. 	<p>Geberit products comply with the requirements of AS 1172.2 – Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves</p> <p>(WaterMark Certificate as example can be found in Appendix 6 and 7)</p>

Design, construction and installation instructions

Installation Instructions

Geberit basins, cisterns, and pans products Installation Instructions are available for all products. Installation Instructions are supplied with all Geberit products.

An example of Installation Instructions can be found in Appendix 8.

The rest of the documents can be found in: [Elements for WCs \(geberit.com.au\)](https://www.geberit.com.au/elements-for-wcs)

All products are supplied with Installation and Maintenance Instructions in the packaging.

Limitations of use

Limitations and use are specified in the Installation Instructions and in documents available for download at: [Elements for WCs \(geberit.com.au\)](https://www.geberit.com.au/elements-for-wcs)

An example can be found in Appendix 9.

Maintenance requirements

Specific maintenance is required over the life of all Geberit basins, cisterns, and pan products.

These can be found in: [Elements for WCs \(geberit.com.au\)](https://www.geberit.com.au/elements-for-wcs)

Quality assurance

The following certifications has been accredited to the manufacturer:

ISO 9001 quality management systems by SGS and SQS

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Refer Appendix 1 and 2.

Product support

Full product support can be found at Geberit NZ Ltd

Flow Imports
24A Morrin Rd
Mt Wellington
Auckland

P 0800 426 747
E info@flowimports.co.nz
www.flowimports.co.nz

Manufacturer

All Geberit products are manufactured by Geberit UK, and imported and distributed by Flow Imports Ltd.

Geberit Group

Geberit AG

Schachenstrasse 77

Switzerland

CH-8645 Jona

www.geberit.com

Warnings and Bans

There is no warning or ban applicable on any Geberit products, subject to the Building Act 2004, Section 26.

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Appendix 1 – ISO certificate - Switzerland

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023



Certificate

The SQS hereby attests that the organisation named below has a management system that meets the requirements of the normative basis mentioned.

Geberit International AG
Schachenstrasse 77
8645 Jona
Switzerland

Further sites according to appendix

Scope

Development, production, marketing, sales
and distribution of sanitary products (installation,
flushing, piping and bathroom systems)


Normative basis

ISO 9001:2015	Quality Management System
ISO 14001:2015	Environmental Management System
ISO 45001:2018	Occupational Health and Safety Management System

Reg.no. H20644

Validity 06.10.2021–14.09.2024
Issue 01.01.2022


A. Grisard, President SQS


F. Müller, CEO SQS



sqs.ch



Swiss Association for Quality
and Management Systems (SQS)
Bernstrasse 103, 3052 Zollikofen, Switzerland



Appendix of main certificate Reg.no. H20644

Geberit International AG Schachenstrasse 77 8645 Jona Switzerland

Central Function	Scope	Norm/ Revision	Reg. no.	Validity
Geberit International AG Schachenstrasse 77 8645 Jona Switzerland	Development, production, marketing, sales and distribution of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Locations	Scope	Norm/ Revision	Reg. no.	Validity
Geberit International AG Schachenstrasse 77 8645 Jona Switzerland	Development, production, marketing, sales and distribution of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Sales Company	Scope	Norm/ Revision	Reg. no.	Validity
Geberit B.V. Fultonbaan 15 3439 NENieuwegein The Netherlands	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Geberit Marketing e Distribuzione SA Via Gerre 4 6928 Manno Switzerland	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Geberit nv Ossegemstraat 24 1860 Meise Belgium	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Geberit s.a.r.l. ZA du Bois Gasseau CS 40252 Samoreau 77215 AVON CEDEX France	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Geberit Sales Ltd Geberit House, Edgehill Drive Warwick CV34 6NH United Kingdom	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Geberit VertriebsAG Schachenstrasse 77 8645 Jona Switzerland	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Geberit VertriebsGmbH Theuerbachstrasse 1 88630 Pfullendorf Germany	Sales and marketing of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015	H20644	06.10.2021 14.09.2024


A. Grisard, President SQS


F. Müller, CEO SQS

Swiss Association for Quality
and Management Systems (SQS)
Bernstrasse 103, 3052 Zollikofen, Switzerland



Appendix of main certificate Reg.no. H20644

Geberit International AG Schachenstrasse 77 8645 Jona Switzerland

Locations	Scope	Norm/ Revision	Reg. no.	Validity
The Chicago Faucet Company 2100 S. Clearwater Drive Des Plaines IL, 60018 United States of America	Sales of sanitary faucets and flushing systems	ISO 9001:2015	H20644	06.10.2021 14.09.2024
Production Company				
Geberit Apparate AG Schachenstrasse 77 8645 Jona Switzerland	Production of shower toilets, taps and controls	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Fabrication SA Route Jo Siffert 38 1762 Givisiez Switzerland	Production of pipes for supply systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Huter GmbH Statz 80 6143 Matri am Brenner Austria	Production of installation systems and prefabricated bathrooms	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit India Manufacturing Private Limited Chakan Industrial Area Phase 2 Pune Khed Taluka 412205 India	Production of installation systems, cisterns and mechanisms	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Lichtenstein GmbH Kastanienstrasse 7 09356 St. Egidien Germany	Production of installation systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Mapress GmbH Kronprinzstrasse 40 40764 Langenfeld Germany	Production of fittings for supply systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Ozorków Sp. z o.o. ul. Adamówek 25 95-035 Ozorków Poland	Production of showers and bathtubs as well as fittings for supply systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Production Oy Wärsilänkatu, Koivuniemi 10600 Tammisaari Finland	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Production S.A.S. Zi du Magré, Rue Stuart Mill 87000 Limoges France	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024


A. Grisard, President SQS


F. Müller, CEO SQS

Swiss Association for Quality
and Management Systems (SQS)
Bernstrasse 103, 3052 Zollikofen, Switzerland



Appendix of main certificate Reg.no. H20644

Geberit International AG Schachenstrasse 77 8645 Jona Switzerland

Locations	Scope	Norm/ Revision	Reg. no.	Validity
Geberit Produção, S.A.. Rua Vasco Moreira, n.º7, Torre 2580-512 Carregado Portugal	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Produkcja Sp.z o.o. ul. Toruńska 154 62-600 Koło Poland	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Produkcja Sp.z o.o. ul. Płocka 106 87-800 Włocławek Poland	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit ProduktionsAG Schachenstrasse 77 8645 Jona Switzerland	Production of installation systems, fittings for supply systems and fittings for building drainage systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit ProduktionsGmbH & Co. KG Gebertstrasse 1 3140 Pottenbrunn/St. Pölten Austria	Production of fittings and siphons for building drainage systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit ProduktionsGmbH Theuerbachstrasse 1 88630 Pfullendorf Germany	Production of installation systems, cisterns and mechanisms	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Produzione Spa Viale del Lavoro, 4 45010 Villadose (RO) Italy	Production of pipes for building drainage systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit proizvodnja d.o.o. Bezena 55A 2342 Ruse Slovenia	Production of cisterns and mechanisms and fittings for building drainage systems	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Production AB Fabriksvägen 39 375 85 Mörrum Sweden	Production of shower trays and shower enclosure	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Production AB Folketshusgatan 1 295 22 Bromölla Sweden	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Keramik GmbH Abelstrasse 12 46483 Wesel Germany	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024


A. Grisard, President SQS


F. Müller, CEO SQS

Swiss Association for Quality
and Management Systems (SQS)
Bernstrasse 103, 3052 Zollikofen, Switzerland




Appendix of main certificate Reg.no. H20644

Geberit International AG
Schachenstrasse 77
8645 Jona
Switzerland

Locations	Scope	Norm/ Revision	Reg. no.	Validity
Geberit Keramik GmbH Industriestrasse 10 39340 Haldensleben Germany	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Ceramic Production PrJSC 136 Kozatska Slavuta, 30002 Ukraine	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Geberit Ceramica SpA Lungomare Caboto 108 04024 Gaeta (LT) Italy	Production of bathroom ceramics	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
The Chicago Faucet Company, Michigan City Division 1100 Boone Dr Michigan City, 46360 United States of America	Production of sanitary faucets and controls	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
The Chicago Faucet Company, Milwaukee Division 6060 W Douglas Ave Milwaukee, 53218-1546 United States of America	Production of sanitary faucets	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024
Logistics				
Geberit Logistik GmbH Theuerbachstrasse 1 88630 Pfullendorf Germany	Distribution of sanitary products (installation, flushing, piping and bathroom systems)	ISO 9001:2015 ISO 14001:2015 ISO 45001:2018	H20644	06.10.2021 14.09.2024


A. Grisard, President SQS


F. Müller, CEO SQS

Swiss Association for Quality
and Management Systems (SQS)
Bernstrasse 103, 3052 Zollikofen, Switzerland



Appendix 2 – ISO certificate - China

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023



Certificate CH18/1017.00

The management system of

Geberit Shanghai Trading Co. Ltd.

No. 1515, Hui Ping Rd, Nan Xiang High Technology Development Zone

CN - 201802 Shanghai

United Social Credit Code: 913100006607026227



has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

Development, production and sales of sanitary products

This certificate is valid from 30 August 2021 until 29 August 2024

and remains valid subject to satisfactory surveillance audits.

Re-certification audit due 60 days prior to expiry date.

Issue 2. Certified since August 2018.

This is a multi-site certification.

Additional site details are listed on subsequent pages.

Authorised by

[Signature]



SGS Société Générale de Surveillance SA

Technoparkstrasse 1 · 8005 Zurich · Switzerland

t +41 (0)44 445-16-80 · f +41 (0)44 445-16-88 · www.sgs.com

Page 1 of 2



This document is a Web version of SGS certificate for electronic use exclusively. It shall only be available by clicking on SGS Certification Mark which has been posted on Your website. It shall not be printed in anyway. This document is copyright protected. No content or appearance may be reproduced without the express written permission of SGS. Any misuse, alteration, forgery or falsification is unlawful.

Appendix 3 – Testing declaration 1

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

EN

UK DECLARATION OF PERFORMANCE



DoP10

WC pans and WC suites with integral trap

1. **Unique identification code of the product type:**
Article number(s): See appendix to the declaration of performance
2. **Application purpose(s):**
Personal hygiene (PH)
3. **Manufacturer:**
Geberit International AG
Schachenstrasse 77
CH-8645 Jona
Switzerland
+41 55 221 63 00
product.compliance@geberit.com
www.geberit.com/declarations
4. **System(s) for evaluating and checking constancy of performance:**
System 4
5. **Designated standard:**
EN 997:2012/AC:2012
6. **Declared performance(s):**

Essential characteristics		Performance	Technical specification
CF	Flushing requirements	Pass (✓) / NPD*	EN 997:2012/AC:2012
BP	Backflow prevention	Pass (✓) / NPD*	
CA	Cleanability	Pass (✓) / NPD*	
LR	Load resistance	Pass (✓) / NPD*	
WL	Tightness	Pass (✓) / NPD*	
VR	Valve reliability	Pass (✓) / NPD*	
DA	Durability	Pass (✓) / NPD*	

* The specific performance of the individual article is determined by the characteristic code specified in the appendix. If no performance has been determined for an essential characteristic, this is indicated with "NPD".

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 (as it applies for the Great Britain market from 11pm UK-time on 31 December 2020), under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:


Georg Taubert
Head Standardisation, Approvals, Regulatory Affairs
Jona, 05.06.2023


Jörg Schneider
Head of Product Compliance

63050403726721035 © 06-2023
970.687.00.0(05)

V.8

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Appendix 4 – Testing declaration 2

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

EN

UK DECLARATION OF PERFORMANCE



DoP14

WC and urinal flushing cisterns

1. **Unique identification code of the product type:**
Article number(s): See appendix to the declaration of performance
2. **Application purpose(s):**
Personal hygiene (PH)
3. **Manufacturer:**
Geberit International AG
Schachenstrasse 77
CH-8645 Jona
Switzerland
+41 55 221 63 00
product.compliance@geberit.com
www.geberit.com/declarations
4. **System(s) for evaluating and checking constancy of performance:**
System 4
5. **Designated standard:**
EN 14055:2010
6. **Declared performance(s):**

Essential characteristics		Performance	Technical specification
WL	Watertightness / leaktightness	Pass (✓) / NPD*	EN 14055:2010
VR	Outlet valve reliability	Pass (✓) / Declared category	
NL	Noise behaviour	Declared group*	
	Flushing volume	Pass (✓) / NPD*	
DA	Durability	Pass (✓) / NPD*	

* The specific performance of the individual article is determined by the characteristic code specified in the appendix. If no performance has been determined for an essential characteristic, this is indicated with "NPD".

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 (as it applies for the Great Britain market from 11pm UK-time on 31 December 2020), under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:


Georg Taubert
Head Standardisation, Approvals, Regulatory Affairs
Jona, 05.06.2023


Jörg Schneider
Head of Product Compliance

54043204487026955 © 06-2023
970.690.00.0(06)

V.7

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Appendix 5 – Warranty

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

GEBERIT LIMITED PRODUCT WARRANTY

GENERAL TERMS AND CONDITIONS

Geberit products come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonable foreseeable loss or damage. You are also entitled to have the goods replaced if the goods fail to be of acceptable quality and the failure does not amount to be a major failure.

COVERAGE AND APPLICATION

This warranty covers faults in the product construction, material and assembly. Products which are within the warranty period stated below which are found, upon inspection by an authorised Geberit representative, to be defective in construction, material or assembly, will be repaired or exchanged with an equivalent product free of charge. Replaced items become Geberit's property.

For the purpose of this warranty "a Geberit product":

- was manufactured by or on behalf of Geberit; and
- is used in a normal domestic or commercial environment; and
- bears a trademark owned or used by Geberit and
- was supplied by Geberit Pty Ltd, to an authorised reseller or distributor of Geberit; and
- was purchased and supplied either in Australia or New Zealand

Geberit products supplied to manufacturers are expressly excluded and the content of this document is not applicable

WARRANTY PERIOD

For all Geberit products the warranty period is strictly from the date of sale as reflected on the authorised distributors invoice. The warranty period for each Geberit product, is outlined below.

CISTERNS	<ul style="list-style-type: none"> • 15 years on Sigma8 and Kappa concealed cistern tanks and frames • 10 years on installation frames and all other Geberit concealed cistern tanks • 3 years on inlet and outlet valve products • 3 years on mechanical flush/access plates
ACCESSORIES, TAPS & TRAPS	<ul style="list-style-type: none"> • 2 years on HyTronic and pneumatic products • 2 years on HyTec Urinal partition walls • 2 years on Diseno washbasin trap
PIPING PRODUCTS	10 year system warranty for Geberit HDPE, Geberit Pluvia, Geberit Sovent and 2 years on processing tools.

All other Geberit parts and accessories (i.e. batteries) purchased together with the Geberit product are covered under this warranty for 6 months.

GEBERIT LIMITED PRODUCT WARRANTY

LABOUR

The labour for the replacement of products to which this warranty applies will be provided by Geberit or relevant supplier using licensed trades people engaged by Geberit or relevant supplier within the warranty period.

Geberit and its authorised service plumbers will endeavour to fix the Geberit product on site. The claimant must provide reasonable access to the Geberit product during normal working hours to enable the service work to occur.

WARRANTY CLAIMS

If you purchased Geberit products in Australia or New Zealand, the following process applies

1. Contact authorised reseller or distributor where you purchased the Geberit products; and/or
2. Contact support.au@geberit.com or +61 2 9889 7866

WARRANTY EXCLUSIONS

This warranty is effective only if all of the following conditions apply:

- The item has been installed by a licensed plumber
- Failure is due to a fault in the construction, material or assembly of the product
- Proof of purchase (including the date of purchase) is provided
- The installation of the product is in accordance with the instructions provided

This warranty does not include faults caused by:

- Alterations to, or improper use of the product
- Incorrect installation or installation not in accordance with the instructions provided
- Installation or part installation by the purchaser or any person other than a licenced plumber
- Normal wear and tear
- Inadequate or complete lack of maintenance
- Chemical, electrochemical or electrical influences
- Harsh detergents or abrasive cleaners used on product finishes
- Excessive water pressure
- Incorrect operation or not following operating instructions
- Incorrect voltage or non-authorised electrical connections
- Use of non-authorised/non-standard parts
- Use of non-authorised calculation software
- Repair or other work carried out on Geberit products other than by an authorised service plumber

To the fullest extent permitted by law, Geberit excludes all liability for damage or injury to any person, damage to any property, and any indirect consequential or other loss or damage.

Appendix 6 – WaterMark certificate example 1

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023



Certificate of Conformity

This certificate confirms that the company below complies with the following standard(s):

Company Name / Approved User	Geberit Plumbing Technology Shanghai Co Ltd	WaterMark WM number:	GM-WM-000637-103-R01		
Company Other Name	Geberit Pty Ltd	Approved User Tel:	02 9889 7866	Approved User web site	www.geberit.com.au
Approved User ABN (if any)	44 103 224 273	Client ID	100150		
JAS-ANZ Scheme	WaterMark Certification Scheme 2016				
Certification Standard (s)	AS 1172.2:2014 : Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves				

CERTIFICATE DATES:

Initial Certification / Re Certification	31/10/2009	Certification Expiry	2/10/2027
Last Certification Decision (current certification)	22/11/2022		

APPROVED COMPANY/SITE ADDRESS(ES):

Unit 1, 13 Boundary Road Northmead NSW 2152 Australia
 Dao Dou Town DAISHAN COUNTY Zhejiang - China
 1515 Hui Ping Road, Nanxiang High Technology Development Zone Shanghai CN201802 China

Subject to the following conditions and limitations:

- The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
- This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au
- This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd. Company Number: ACN 108-087-65+. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification. The certificate may only be reproduced in its entirety.



Certification Manager

[Signature]

Global-Mark Pty Ltd, 407, 32 Delhi Road, North Ryde NSW 2113, Australia - Copyright 2005
 Tel: + 61 2 9886 0222 - www.Global-Mark.com.au



Global-Mark.com.au®

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Appendix 7 – WaterMark certificate example 2

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023



Certificate of Conformity

This certificate confirms that the company below complies with the following standard(s):

Company Name / Approved User	Geberit Pty Ltd	WaterMark WM number:	GM-WM-004000-103-R02		
Company Other Name		Approved User Tel:	02 9889 7866	Approved User web site	www.geberit.com.au
Approved User ABN (if any)	44 103 224 273	Client ID	100150		
JAS-ANZ Scheme	WaterMark Certification Scheme 2016				
Certification Standard (s)	AS 1172.2:2014 : Water closets (WCs) Part 2: Flushing devices and cistern inlet and outlet valves				

CERTIFICATE DATES:

Initial Certification / Re Certification	27/04/2006	Certification Expiry	23/03/2026
Last Certification Decision (current certification)	23/11/2022		

APPROVED COMPANY / SITE ADDRESS(ES):

Unit 1, 13 Boundary Road Northmead NSW 2152 Australia
 Theuerbachstrasse 1 Pfullendorf Baden-Württemberg 88630 Germany
 Bezena 55A Ruse - SI2342 Slovenia
 No.1515 Huiping Road, Nanxiang High Technology Development Zone - CN-201802 China

Subject to the following conditions and limitations:

- The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions of certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
- This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 400 295). The Rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au
- This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN 108-087-65+. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation Systems of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification. The certificate may only be reproduced in its entirety.



Certification Manager

[Signature]

Global-Mark Pty Ltd, 407, 32 Delhi Road, North Ryde NSW 2113, Australia - Copyright 2005
 Tel: + 61 2 9886 0222 - www.Global-Mark.com.au



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023


Appendix 8 – Installation, Maintenance Instruction example

Page 2 of each document as an example










Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023



1




2







1


1





2



3



4



Appendix 9 – Technical information example


Technical information including limitations of use

Document type	Revision	Revision date
Product Technical Specification & BPIR Geberit basins, cisterns, and pans	v1	11 September 2023

Geberit Duofix element for wall-hung WC, 114 cm, with Sigma concealed cistern 8 cm



Example image



Application purposes

- For drywall construction
- For installation in part or room-height prewall installations
- For installation in room-height installation walls
- For wall-hung WCs with connection dimensions for Caroma Cube / Metro / Walvit and Fowler Seido / Lucid
- For wall-hung WCs with connection dimensions in accordance with EN 33:2011
- For wall-hung WCs with large projection up to 70 cm
- For single flush, dual flush or stop-and-go flush
- For floor constructions 0–20 cm

Characteristics

- Range 2016
- Self-supporting frame, powder-coated
- Frame with ø9 mm drilling holes for fastening in wood frame construction
- Frame suitable for ceramic WC appliances with small contact surface (with pressure-resistant wall covering)
- Galvanized feet
- Leg supports infinitely variable in height
- Non-slip leg supports
- Foot plate depth suitable for installation in U-profiles UW50 and Geberit Duofix system rails
- Connection bend can be installed without tools at different depths

- Connection bend can be mounted vertically with front flush
- Fastening for connection bend, sound-absorbing
- Concealed cistern with front actuation
- Concealed cistern, fully insulated against condensation
- Cistern fulfils standard requirements in accordance with AS 1172.2:2004
- Immediate post flush possible with factory setting
- Tool-free installation and maintenance work on concealed cistern
- Water supply connection on the top left
- Water supply connection, dezincification-resistant
- Protection cover box for service opening protects against moisture and dirt
- Protection box for service opening can be cut to length, suitable for surface-even actuator plates
- With conduit pipe for feed pipe for connection of Geberit AquaClean shower toilets
- Fastening option for electrical connection

Technical data

Flow pressure	10-1000 kPa
Maximum operating temperature, water	25 °C
Flush volume, factory setting	6 and 3 l
Flush volume large, adjustment range	4.5 / 6 / 7.5 l
Flush volume small, adjustment range	3-4 l

Scope of delivery

- Water supply connection Rp 1/2" - R1/2", compatible with MF, with integrated angle stop valve and hand wheel
- Protection box for service opening
- Connection set for WC, ø90 mm
- Connection bend 90° made of PE-HD, ø90 mm
- Sleeve made of EPDM, ø90 / 110 mm
- 2 protection plugs
- 2 threaded rods M12
- Pipe bracket support
- Fastening material

Art. no.	B	H	T
111.697.00.1	50 cm	114 cm	8 cm

Accessories

- Set of wall anchors for single installation, for Geberit Duofix element for wall-hung WC, with Sigma concealed cistern 8 cm